Safety Data Sheet 29 CFR 1910.1200

Section 1: Company and Product Identification

Product Name: ANISYL ACETATE

Company: THE JOHN D. WALSH CO., INC.

25 EXECUTIVE PKWY. RINGWOOD, NJ 07456

Emergency 24 HOUR EMERGENCY NUMBER **Response:** CHEMTREC (800) 424-9300

Section 2: Hazards Identification

HS07

1

BLANK

Hazard Pictograms:



Signal Word: Warning

Hazard Category: Acute tox, oral Cat 5

Acute tox, dermal Cat 5 Skin corrosion/irritation Cat 3

Serious eye damage/eye irritation Cat 2 Hazard to aquatic environment, acute Cat 3 Hazard to aquatic environment, chronic Cat 3

Hazard Statements: H303: May be harmful if swallowed

H313: May be harmful in contact with skin

H315: Causes skin irritation H320: Causes eye irritation H319: Causes serious eye irritation H402: Harmful to aquatic life

H412: Harmful to aquatic life with long lasting effects

Precautionary P264: Wash thoroughly after handling Statements: P273: Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection

P302+352: IF ON SKIN: Wash with soap and water

 $P305 + 351 + 338; IF\ IN\ EYES: Rinse\ cautiously\ with\ water\ for\ several\ minutes.\ Remove$

contact lenses if present and easy to do - continue rinsing

P312: Call a POISON CENTER or doctor/physician if you feel unwell

P321: Specific treatment (see section 8 on this label)

P332+313: If skin irritation occurs: Get medical advice/attention P337+313: If eye irritation persists get medical advice/attention P362: Take off contaminated clothing and wash before reuse

P501: Dispose of contents/container in accordance with local/national/international

rules.

Section 3: Composition / Information on Ingredients

Substance	CAS#	Weight %
ANISYL ACETATE	104-21-2	100

Section 4: First Aid Measures

General Info: ENSURE THAT MEDICAL PERSONNEL ARE AWARE OF THE MATERIAL INVOLVEDED, AND TAKE PRECAUTIONS TO PROTECT THEMSELVES. SHOW SDS TO DOCTOR IN ATTENDANCE

If ingested: Rinse mouth. IMMEDIATELY: Call a physician or poison control center. DO NOT: Induce vomiting. If vomiting occurs, the head should be kept low so that the vomit doesn't enter the lungs

If inhaled: Remove to fresh air. Obtain medical attention if asthma-like symptoms or other symptoms develop.

Oxygen may be necessary.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation develops or persists.

Skin contact: Take off immediately all contaminated clothing. Rinse with soap and water thoroughly. Get medical advice if irritation develops or persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

Extinguishing Water spray, fog, carbon dioxide (CO2), dry chemical, or alcohol resitant foam. DO NOT USE: A solid Method / Equipment: stream of water, this may spread the fire. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Fire may produce irritating, corrosive and/or toxic gases **Decomposition Info:**

Section 6: Accidental Release Measures

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition **protective equipment** sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate

and procedures: protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate

area if easy to do so. Avoid release to the environment, retain and dispose of contaminted water. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Large Spills: Contain actively spilling material if safe and easy to do so. Dike the spilled material, where Equipment and this is possible. Utilize absorbent clay or sand to contain and stop spreading material.

Procedures:

Small Spills: Utilize absorbent clay or sand and transfer to waste receptacles. Clean surface thoroughly.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle. If cleaning surface is necessary, utilize mineral spirits or other solvents, provided adequate ventilation is available.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open Precautions: flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Open containers slowly to control possible pressure release.

Recommendations Store in cool area in product container away from sources of ignition or flame. Keep out of direct sunlight. **for Storage:** Keep exposure to oxygen at a minimum.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below exposure limits. Eye **Engineering** wash facilities must be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear solvent resistant gloves.

Respiratory Chemical respirator with organic vapor cartridge and full face plate

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or

Information: exposed skin after using the product.

Section 9: Physical and Chemical Properties

State: Liquid Melting Point: 25C Vapor 5.7 Density

Color Refer to spec **Boiling point: 455F**

Molecular 180.2 g/mol Weight

Water Insoluble

Solubility: Odor Characteristic Flash Point: >200 F Part. Coeff (n. Not avail

octanol/water

Flammibility Class Combustible IIIB Lower Flam Not avail Vapor .02 mm Hg at 25C

> Limits: Pressure:

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Solvent vapors will evaporate from exposed material. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources. Avoid temperatures exceeding the flash point.

Incompatible Strong oxidizing agents.

sheet

Sp Grav: 1.11

materials:

Decomposition No decomposition products known. Toxic substances may be released in the event of a fire.

products:

Section 11: Toxicological Information

Likely Routes of Inhalation of vapors, dermal **Exposure:**

Toxicological Information (contained substances)

Substance	LD50 Oral	LD50 Dermal
ANISYL ACEATE	2250 mg/kg (Rat)	5000 mg/kg (Rabbit)

Carcinogenicity or Not classified as a human carcinogen mutagenicity:

THE JOHN D. WALSH CO., INC.

Sensitization: Not expected to cause skin sensitization

Other Notes: Not applicable.

Section 12: Ecological Information

Aquatic toxicity: Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisims is expected

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: No specific data available.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations. Consult with waste

contractor. Contains low levels of flammable solvents.

Container disposal: Treat empty containers with extra care, as residual solvents may pose ignition hazard. Consult waste

contractor.

Section 14: Transport Information

DOT/NON BULK: NOT REGULATED

IMO/IMDG: NOT REGULATED

IATA: NOT REGULATED

Section 15: Regulatory Information

TSCA: NOT LISTED

CERCLA RQ: NOT LISTED

SARA 311/312: NOT LISTED

SARA 313 NOT LISTED

California Prop 65 NOT LISTED

Substances:

Canadian DSL: YES LISTED

WHMIS: H-2,F-1,R-0

Version Date: 1/28/2016

Disclaimer: The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or, expense resulting from improper use of this product