Safety Data Sheet 29 CFR 1910.1200

Section 1: Company and Product Identification

Product Name: BENZYL SALICYLATE

Company: THE JOHN D. WALSH CO., INC.

25 EXECUTIVE PKWY. RINGWOOD, NJ 07456

Emergency Response: 24 HOUR EMERGENCY NUMBER

CHEMTREC (800) 424-9300

Section 2: Hazards Identification

GH

GHS07

BLANK

Hazard Pictograms:





Signal Word: Warning

Hazard Category: Skin corrosion/irritation Cat 1

Serious eye damage/eye irritation Cat 2 Specific target organ tox, single exp. Cat 2 Hazard to aquatic environment, acute Cat 2

Hazard Statements: H317: May cause an allergic skin reaction

H319: Causes serious eye irritation H371: May cause damage to organs H401: Toxic to aquatic life

Precautionary P260: Do not breathe dust/fume/gas/mist/vapours/spray

Statements: P264: Wash thoroughly after handling

P270: Do not eat, drink or smoke when using this product

P272: Contaminated work clothing should not be allowed out of the workplace

P273: Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection

P302+352: IF ON SKIN: Wash with soap and water

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do – continue rinsing $\,$

P309+311: IF exposed or you feel unwell: Call a POISON CENTER or doctor/physician

P321: Specific treatment (see supplemental first aid instructions on this label) P333+313: If skin irritation or a rash occurs: Get medical advice/attention

P337+313: If eye irritation persists get medical advice/attention

P363: Wash contaminated clothing before reuse

P405: Store locked up

P501: Dispose of contents/container in accordance with local/national/international rules.

Section 3: Composition / Information on Ingredients

| Hazardous substance (name) CAS# Weight % |
|--|
|--|

| BENZYL SALICYLATE | 118-58-1 | 100 |
|-------------------|----------|-----|
|-------------------|----------|-----|

Section 4: First Aid Measures

General Info: ENSURE THAT MEDICAL PERSONNEL ARE AWARE OF THE MATERIAL INVOLVEDD, AND TAKE PRECAUTIONS TO PROTECT THEMSELVES. SHOW SDS TO DOCTOR IN ATTENDANCE

If ingested: NEVER: Give anything by mouth to an unconscious person. Rinse mouth with water. Seek immediate medical attention. Do not induce vomiting. If vomiting occurs, the head should be kept low so that the vomit doesn't enter the lungs

If inhaled: If having difficulty breathing, remove to fresh air. Obtain medical attention if asthma-like symptoms or other symptoms develop. Oxygen may be necessary.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation develops or persists.

Skin contact: Take off immediately all contaminated clothing. Rinse with water thoroughly. Get medical advice if irritation develops or persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

Extinguishing Water spray, Carbon dioxide (CO2), dry chemical, alcohol resistant foam. Firefighters should wear self-**Method / Equipment:** contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Fire may produce irritating, corrosive and/or toxic gases **Decomposition Info:**

Section 6: Accidental Release Measures

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition protective equipment sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate and procedures: protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Large Spills: Contain actively spilling material if safe and easy to do so. Dike the spilled material, where Equipment and this is possible. Utilize absorbent clay or sand to contain and stop spreading material.

Procedures:

Small Spills: Utilize absorbent clay or sand and transfer to waste receptacles. Thoroughly clean surfaces to remove residual contamination.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle. If cleaning surface is necessary, utilize mineral spirits or other solvents, provided adequate ventilation is available.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open Precautions: flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment.

Recommendations for Store in cool area in product container away from sources of ignition or flame. **Storage:**

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below exposure limits. Eye **Engineering** wash facilities must be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear solvent resistant gloves.

Respiratory Chemical respirator with organic vapor cartridge and full face plate

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or

Information: exposed skin after using the product.

Section 9: Physical and Chemical Properties

State: Liquid Melting Point: Not avail Freezing Not avail

Point:

Color: Colorless Boiling point: 168-170C pH Not avail

Sp Grav: 1.176 **Odor:** Not avail **Water** Insoluble

Solubility:

Relative Density: 1.176 Flash Point: 180C Part. Coeff (n·4

octanol/water

Upper Flam Limits: Not avail Lower Flam Not avail Vapor Not avail

Limits: Pressure:

VOC Content Not avail Viscosity: Not avail Autoignition Not avail

(lbs/gal): Temp:

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Solvent vapors will evaporate from exposed material. Product is not subject to hazardous polymerization. Avoid open flame and

ignition sources.

Incompatible Strong oxidizing agents.

materials:

Decomposition No decomposition products known. Toxic substances may be released in the event of a fire.

products:

Section 11: Toxicological Information

Toxicological Information (contained substances)

| Substance | LD50 Oral | LD50 Dermal |
|-------------------|---------------------|-------------|
| BENZYL SALICYLATE | 2227 mg/kg (Rat) | N/A |

Carcinogenicity or Not classified as a human carcinogen

mutagenicity:

Sensitization: Not expected to cause skin sensitization

Other Notes: Not applicable.

Section 12: Ecological Information

Aquatic toxicity: Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisims is expected

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: No specific data available.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations. Consult with waste

contractor. Contains low levels of flammable solvents.

Container disposal: Treat empty containers with extra care, as residual solvents may pose ignition hazard. Consult waste

contractor.

Section 14: Transport Information

DOT/NON BULK: NOT REGULATED

IMO/IMDG: NOT REGULATED

IATA: NOT REGULATED

Section 15: Regulatory Information

TSCA: NOT LISTED

CERCLA RQ: NOT LISTED

SARA 311/312: YES LISTED

SARA 313 NOT LISTED

California Prop 65 NOT LISTED

Substances:

Canadian DSL: YES LISTED

WHMIS: H-2,F-1,R-0

Version Date: 2/3/2016

THE JOHN D. WALSH CO., INC.

Disclaimer: The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or, expense resulting from improper use of this product