

Print Date

## SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

Product	JASMAL

Page 1 (7)

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

06/10/2020

Product name IFF Code Cust. Material SDS Number Product Use Description	: : :	JASMAL 00100500 00100500 R00000225432 Flavour or Fragrance Ingredient
Company	:	PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.
Telephone	:	+8657164735488
Telefax	:	+8657164722092
Emergency telephone number	:	+86 532 8388 9090

## SECTION 2 HAZARDS IDENTIFICATION

#### **GHS-Classification**

Not a hazardous substance or mixture.

#### **GHS-Labelling**

#### **Carcinogenicity:**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Version Revision Date : 1 : 06/10/2020

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.

Telephone: +8657164735488

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.



JASMAL

Print Date

06/10/2020

Page 2 (7)

Component	CAS-No.
Pentitol, 1,5-anhydro-2,4-dideoxy-2-pentyl-, 3-acetate	18871-14-2
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	128-37-0

## SECTION 4. FIRST AID MEASURES

#### First aid procedures

Inhalation	:	Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
Skin contact	:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Eye contact	:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Ingestion	:	Rinse mouth with water and obtain medical advice.

## **SECTION 5. FIREFIGHTING MEASURES**

<b>Flammable properties</b> Flash point	:	212 °F (100 °C)	
<b>Fire fighting</b> Suitable extinguishing media	:	Use water spray, dry chemical, carb	on dioxide or appropriate foam.
Protective equipment and precauti	ons	for firefighters	
Special protective equipment for firefighters	:	Wear NIOSH approved self-contain protective clothing when fighting fin water spray to cool containers expos	res involving chemicals. Use
Version		: 1	
Revision Date		: 06/10/2020	
PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.			PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.

INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.

Telephone: +8657164735488



Product

JASMAL

Print Date

06/10/2020

Page 3 (7)

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	:	Keep away from drains, surface- and groundwater and soil.
Methods for containment / Methods for cleaning up	:	Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

## SECTION 7. HANDLING AND STORAGE

Handling :	Avoid excessive inhalation of cond manufacturing practices for housel Wash any exposed skin immediate before breaks and meals, and at the Contaminated clothing and shoes s before re-use.	keeping and personal hygiene. Iy after any chemical contact, e end of each work period.
	If appropriate, procedures used due should also be used when cleaning chemicals from tanks or other cont hot water is used, as this may incre- workplace air. Where chemicals ar restricted to properly trained emple Keep all heated processes at the lo order to minimize emissions of vol	equipment or removing residual ainers, especially when steam or ease vapor concentrations in the re openly handled, access should be byees. west necessary temperature in
Advice on protection against fire : and explosion	Keep away from ignition sources a	and naked flame.
Requirements for storage areas and : containers	Store in a cool, dry, ventilated area containers upright and tightly close	· ·
Version Revision Date	: 1 : 06/10/2020	
PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD. Telephone: +8657164735488		PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD. Telefax: +8657164722092



Product

Print Date

JASMAL

06/10/2020

Page 4 (7)

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

#### **Engineering measures**

Engineering measures : Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material Personal protective equipment : Use tight-fitting goggles, face shield or safety glasses with side Eye protection shields if eye contact might occur. Hand protection : Avoid skin contact. Use chemically resistant gloves. Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient. If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used: a)while engineering controls and appropriate safe work practices and/or procedures are being implemented; or b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c)if normal operational workplace vapor concentration in the air is increased due to heat ; d)during emergencies; or e)if engineering controls and operational practices are not sufficient Version : 1 **Revision Date** : 06/10/2020

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.

Telephone: +8657164735488

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.



Product	JASMAL			
Print Date	06/10/2020	Page	5	(7)
	to reduce airborne concentrations below an establishe exposure limit.	d occupa	atio	nal
Hygiene measures	<ul> <li>To the extent deemed appropriate, implement pre-plar regularly scheduled ascertainment of symptoms and s testing of lung function for workers who are regularly this material.</li> <li>To the extent deemed appropriate, use an experienced expert to identify and measure volatile chemicals that present in the workplace air to determine potential ex- ensure the continuing effectiveness of engineering co- operational practices to minimize exposure.</li> </ul>	pirometr v exposed l air samp could be posures a	y d to plin e and	ıg
Protective measures	<ul> <li>In December 2003, the National Institute for Occupat and Health ("NIOSH") published an Alert on prevent disease in workers who use or make flavorings [NIOS Number 2004-110].</li> <li>In August 2004, the United States Flavor and Extract Association (FEMA) issued a report entitled "Respirat the Flavor Manufacturing Workplace".</li> <li>Both of these reports provide recommendations for re employee exposure and for medical surveillance in th The recommendations in these reports are generally a use of any chemical in the workplace and you are stro review both of these reports.</li> <li>The report published by FEMA also contains a list of chemicals. If any of these chemicals are present in thi concentration &gt;= 1.0% due to an intentional addition chemical(s) will be identified in this safety data sheet</li> </ul>	ing lung SH Public Manufac atory Safe educing workpl pplicable ongly urg "high pr is produc by IFF, t	cati ctur ety lace e to ged tiori	ion rers in e. o the to ity"

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Appearance

Physical state	: liquid
Appearance	: CLEAR LIQUID
Colour	: colorless

Version Revision Date : 1 : 06/10/2020

PostalCode: 311606 Zhejjang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.

Telephone: +8657164735488

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.



Product	JASMAL		
Print Date	06/10/2020		6 (7)
Odour	: conforms to standard		
Safety data			
Flash point	: 212 °F (100 °C)		
Vapour pressure	: .01 hPa (0.01 hPa)		
Relative density (20 °C)	: 0.9740 - 0.9780		
Partition coefficient: n-octanol/	water : log Pow: 2.550		

### SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	:	Remarks: Direct sources of heat.
Chemical stability	:	Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
Hazardous decomposition products	:	Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

## SECTION 11. TOXICOLOGICAL INFORMATION

Acute dermal toxicity : Acute toxicity estimate Dose: 2,503 mg/kg Method: Calculation method

## SECTION 12. ECOLOGICAL INFORMATION

## SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging	:	Place material into sealed containers and dispose of in accordance
Version Revision Date		: 1 : 06/10/2020

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.

Telephone: +8657164735488

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.



Product	JASMAL		
Print Date	06/10/2020	Page	7 (7)

with local, state and federal regulations.

## SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods

### SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	: No SARA Hazards
Reportable Quantity	:
HMIS Classification	: Health hazard: 1 Flammability: 1 Physical and chemical hazards: 0

## SECTION 16. OTHER INFORMATION

#### Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 1 : 06/10/2020

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.

Telephone: +8657164735488

PostalCode: 311606 Zhejiang Jiande City, Hangzhou MamuRoad,Xiayatown18 INTERNATIONAL FLAVORS & FRAGRANCES(HANGZHOU) CO., LTD.