



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product GALAXOLIDE 50 DEP

Print Date 04/03/2025

Page 1 (10)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : GALAXOLIDE 50 DEP
Sales Number : 00070295
Cust. Material : 00070295
SDS Number : R00000222262
Product Use Description : Fragrance Ingredient

Company : IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone : (732) 264-4500
Telefax : (732) 335-2551
Emergency telephone number : +1 800 424 9300

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Not a hazardous substance or mixture.

GHS-Labeling

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Version : 6
Revision Date : 09/19/2024

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product GALAXOLIDE 50 DEP

Print Date 04/03/2025

Page 2 (10)

SECTION 4. FIRST AID MEASURES

First aid procedures

- Inhalation : Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
- Skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- Eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- Ingestion : Rinse mouth with water and obtain medical advice.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties

- Flash point : > 212 °F (> 100 °C)

Fire fighting

- Suitable extinguishing media : Carbondioxide, dry chemical, foam.
- Unsuitable extinguishing media : Do not use a direct waterjet on burning material.
- Further information : Standard procedure for chemical fires.

Protective equipment and precautions for firefighters

- Specific hazards during firefighting : Water may be ineffective.
- Special protective equipment for firefighters : Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers exposed to fire.

Version : 6

Revision Date : 09/19/2024

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product GALAXOLIDE 50 DEP

Print Date 04/03/2025

Page 3 (10)

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
- Environmental precautions : Keep away from drains, surface- and groundwater and soil.
- Methods for containment /
Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

- Handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.
- If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.
Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.
- Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.
- Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

Version : 6
Revision Date : 09/19/2024

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product GALAXOLIDE 50 DEP

Print Date 04/03/2025

Page 4 (10)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	Listed by	Value type	Exposure limit(s)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	USA. ACGIH Threshold Limit Values (TLV)	8-hour, time-weighted average	5 mg/m ³
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	USA. NIOSH Recommended Exposure Limits	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek	5 mg/m ³
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)	8-hour time weighted average	5 mg/m ³
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	Permissible exposure limit	5 mg/m ³

Engineering measures

Engineering measures : Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material

Personal protective equipment

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.

Hand protection : Avoid skin contact. Use chemically resistant gloves.

Skin and body protection : Choose body protection in relation to its type, to the concentration

Version : 6

Revision Date : 09/19/2024

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product GALAXOLIDE 50 DEP

Print Date 04/03/2025

Page 5 (10)

and amount of dangerous substances, and to the specific work-place.

Respiratory protection

- : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

- a)while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
- c)if normal operational workplace vapor concentration in the air is increased due to heat ;
- d)during emergencies; or
- e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hygiene measures

- : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material. To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

Protective measures

- : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].

Version : 6

Revision Date : 09/19/2024

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product GALAXOLIDE 50 DEP

Print Date 04/03/2025

Page 6 (10)

In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : liquid
Appearance : VISCOUS LIQUID
Colour : colorless

Odour : conforms to standard

Safety data

Flash point : $> 212\text{ }^{\circ}\text{F}$ ($> 100\text{ }^{\circ}\text{C}$)

Vapour pressure : $< .01\text{ hPa}$ ($< 0.01\text{ hPa}$)
at $68\text{ }^{\circ}\text{F}$ ($20\text{ }^{\circ}\text{C}$)
Note: Calculated

Relative density ($20\text{ }^{\circ}\text{C}$) : 1.0370 - 1.0470

Partition coefficient: n-octanol/water : log Pow: 5.920

Version : 6
Revision Date : 09/19/2024

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product GALAXOLIDE 50 DEP

Print Date 04/03/2025

Page 7 (10)

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : Remarks: Direct sources of heat.

Materials to avoid : Remarks: Avoid contact with strong acids, alkali or oxidizing agents.

Chemical stability : Remarks: Presents no significant reactivity hazard, by itself or in contact with water.

Hazardous decomposition products : Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicological information

Further information : There is no data available for this product. The health hazards are assessed based on the ingredients in this preparation and their concentrations.

SECTION 12. ECOLOGICAL INFORMATION

Ecological information

Additional ecological information : Avoid contamination of soil, ground and surface water.

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

Version : 6

Revision Date : 09/19/2024

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product GALAXOLIDE 50 DEP

Print Date 04/03/2025

Page 8 (10)

SECTION 14. TRANSPORT INFORMATION

DOT Proper shipping name : Other regulated substances, liquid, n.o.s.
(DIETHYL PHTHALATE)
Labels : 9
UN number : 3082
Class : 9
Packing group : III
Emergency Response : 171
Guidebook Number

IATA UN number : 3082
Description of the goods : ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.
(HEXAMETHYLINDANOPYRAN)
Class : 9
Packing group : III
ICAO-Labels : 9

IMDG UN number : 3082
Description of the goods : ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.
(HEXAMETHYLINDANOPYRAN)
Class : 9
Packing group : III
IMDG-Labels : 9
EmSNumber 1 : F-A
EmSNumber 2 : S-F
Marine pollutant : yes
(HEXAMETHYLINDANOPYRAN)

Other information : Shipment by ground under DOT is non-regulated;
however it may be shipped per the applicable
hazard classification to facilitate multi-modal
transport involving ICAO (IATA) or IMO.

SECTION 15. REGULATORY INFORMATION

SARA 313 Components : HEXAMETHYLINDANOPYRAN 1222-05-5

Version : 6
Revision Date : 09/19/2024

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SAFETY DATA SHEET

INTERNATIONAL FLAVORS & FRAGRANCES

Product GALAXOLIDE 50 DEP

Print Date 04/03/2025

Page 9 (10)

SARA 311/312 Hazards : No SARA Hazards

Reportable Quantity :

HMIS Classification : Health hazard: 1
Chronic Health Hazard: /
Flammability: 1
Physical and chemical hazards: 0

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version : 6
Revision Date : 09/19/2024

IFF Inc.
600 Highway 36
Hazlet NJ 07730

IFF Inc.
600 Highway 36
Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



SARA 313

Dear Customer,

This letter is to inform you that a product that we sell to you, GALAXOLIDE 50 DEP, contains one or more chemicals subject to section 313 of Emergency Planning and Community Right-to-Know Act (EPCRA). We are required to notify you of the presence of these chemicals in the product under EPCRA section 313. This law requires certain industrial facilities to report on annual emissions and other waste management of specified EPCRA section 313 chemicals and chemical categories.

Our product contains:

Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-, Chemical Abstract Service (CAS) number 1222-05-5, 60.58 %.

If you are unsure whether you are subject to the reporting requirements of EPCRA section 313, or need more information, call the EPA/TRI Information Center. For contact information, please see the TRI Home Page at <https://www.epa.gov/tri>. Your other suppliers should also be notifying you about EPCRA section 313 chemicals in the mixtures and other trade name products they sell to you.

Finally, please note that if you repackage or otherwise redistribute this product to industrial customers, a notice similar to this one should be sent to those customers.

Sincerely,

GLOBAL REGULATORY AFFAIRS