

Material Safety Data Sheet

Printed : 15/04/2025

Review : 001NEW-11-GHS from 15/04/2025

LAVENDER OIL, BULGARIAN LAVDE0021

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Product identifier

LAVENDER OIL, BULGARIAN LAVDE0021

UFI : Not applicable

REACH no : Au moins un composant n'est pas listé.
C.A.S number :

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial, only for professional use.

1.3. Details of the supplier of the safety data sheet

Company : SAS MATIERES PREMIERES ESSENTIELLES
6, chemin St Joseph
BP 25265
06131 GRASSE CEDEX
Tel:04 93 09 19 27
Fax :04 93 77 89 88
Web :www.mpe-grasse.fr
Email :sales@mpe-grasse.fr

1.4. Emergency telephone number

In case of emergency call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

2. HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification :

RegulationGHS

Asp. Tox. 1	Aspiration hazard 1	H304 : May be fatal if swallowed and enters airways.
Eye Irrit. 2A	Serious eye damage / eye irritation 2A	H319 : Causes serious eye irritation.
Aquatic Acute 3	Hazardous to the aquatic environment, acute hazard 3	H402 : Harmful to aquatic life
Aquatic Chronic 3 effects.	Hazardous to the aquatic environment, long-term hazard	H412 : Harmful to aquatic life with long lasting effects.

Material Safety Data Sheet

Printed : 15/04/2025 LAVENDER OIL, BULGARIAN LAVDE0021 Review : 001NEW-11-GHS from 15/04/2025

Flam. Liq. 4	Flammable Liquids 4	H227 : Combustible liquid
Skin Irrit. 2	Skin corrosion / irritation 2	H315 : Causes skin irritation.
Skin Sens. 1B	Sensitisation, skin 1B	H317 : May cause an allergic skin reaction.

2.2. Label elements

GHS Classification :

RegulationGHS

Warning mention : Danger

Asp. Tox. 1 Aspiration hazard 1
Eye Irrit. 2A Serious eye damage / eye irritation 2A
Aquatic Acute 3 Hazardous to the aquatic environment, acute hazard 3
Aquatic Chronic 3 Hazardous to the aquatic environment, long-term hazard 3
Flam. Liq. 4 Flammable Liquids 4
Skin Irrit. 2 Skin corrosion / irritation 2
Skin Sens. 1B Sensitisation, skin 1B

H227 - Combustible liquid
H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H402 - Harmful to aquatic life
H412 - Harmful to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash ... thoroughly after handling.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/...
P302+P352 - IF ON SKIN: Wash with plenty of water/...
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331 - Do NOT induce vomiting.



2.3. Other hazards

This mixture does not contain any substance on the list drawn up in accordance with Article 59(1) with a concentration greater than or equal to 0.1% exhibiting endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017 /2100 or in Commission Regulation (EU) 2018/605

Contains Linalyl acetate, Linalool, Acétate Linalyle Naturel, Bornan-2-one (Camphre), Eucalyptol, 3,7-Dimethyl-1,3,6-octatriene (trans ocimène), Alpha-Terpineol, Terpinene-1ol-4, Borneol, beta-Caryophyllene, d-Limonene, Terpinolene

3. COMPOSITION / INFORMATION ON INGREDIENT

Material Safety Data Sheet

Printed : 15/04/2025 LAVENDER OIL, BULGARIAN LAVDE0021 Review : 001NEW-11-GHS from 15/04/2025

List of components to report:

3.1. Substances

NO CONCERNED

3.2. Mixtures

Numéro d'identification	Substance	Classes danger & Phrases H	LCS / Facteurs M / ATE VLEP / VMEP	Percent %
CAS# 78-70-6 EINECS# 201-134-4 REACH# 01-2119474016-42-00 00	Linalool	Acute Tox. 5 (Dermal, Acute Tox. 5 (Inhala, Acute Tox. 5 (Oral), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 3, Flam. Liq. 4, Skin Irrit. 2, Skin Sens. 1B H313, H333, H303, H319, H319, H402, H227, H315, H317	ATE (Dermale) : 2500mg/kg ATE (Orale) : 2790.256mg/kg ATE (Inhalation) : 21.5mg/L	[25-40]
CAS# 115-95-7 EINECS# 204-116-4 REACH# 01-2119454789-19-00 00	Linalyl acetate	Eye Irrit. 2, Eye Irrit. 2A, Flam. Liq. 4, Skin Irrit. 2, Skin Sens. 1 H319, H319, H227, H315, H317		[25-40]
CAS# 13877-91-3 EINECS# 237-641-2	3,7-Dimethyl-1,3,6-octatriene (trans ocimène)	Asp. Tox. 1, Flam. Liq. 3, Skin Irrit. 3 H304, H226, H316		[1-5]
CAS# 115-95-7 EINECS# 204-116-4	Acétate Linalyle Naturel	Acute Tox. 5 (Dermal, Acute Tox. 5 (Oral), Eye Irrit. 2, Eye Irrit. 2A, Skin Irrit. 2, Skin Sens. 1B H313, H303, H319, H319, H315, H317	ATE (Dermale) : 5000mg/kg ATE (Orale) : 2500mg/kg	[1-5]
CAS# 8000-41-7 EINECS# 232-268-1 REACH# 01-2119553062-49	Alpha-Terpineol	Acute Tox. 5 (Dermal, Acute Tox. 5 (Oral), Eye Irrit. 2, Eye Irrit. 2A, Flam. Liq. 4, Skin Irrit. 2 H313, H303, H319, H319, H227, H315	ATE (Dermale) : 2500mg/kg ATE (Orale) : 2500mg/kg	[1-5]
CAS# 76-22-2 EINECS# 200-945-0 REACH# 01-2119966156-31-00 00	Bornan-2-one (Camphre)	Acute Tox. 4 (Inhala, Acute Tox. 4 (Oral), Eye Dam. 1, Aquatic Chronic 2, Flam. Sol. 2, Skin Irrit. 2, Stot Se 2 H332, H302, H318, H411, H228, H315, H371	ATE (Orale) : 500mg/kg ATE (Inhalation) : 1.5mg/L	[1-5]
CAS# 464-45-9 EINECS# 207-353-1/204-712-4 REACH# 01-2120759187-44-00 00/01-2120766667-37 -0000	Borneol	Acute Tox. 5 (Dermal, Acute Tox. 5 (Oral), Flam. Sol. 2, Skin Irrit. 2 H313, H303, H228, H315	ATE (Dermale) : 3957.575mg/kg ATE (Orale) : 3957.575mg/kg	[1-5]
CAS# 470-82-6 EINECS# 207-431-5 REACH# 01-2119967772-24-00 00	Eucalyptol	Acute Tox. 5 (Oral), Flam. Liq. 3, Skin Sens. 1B H303, H226, H317	ATE (Orale) : 2480mg/kg	[1-5]
CAS# 562-74-3 EINECS# 209-235-5	Terpinene-1ol-4	Acute Tox. 4 (Oral), Eye Irrit. 2, Eye Irrit. 2A, Skin Irrit. 2 H302, H319, H319, H315	ATE (Orale) : 1300.001mg/kg	[1-5]
CAS# 79-92-5 EINECS# 201-234-8	Camphene	Acute Tox. 5 (Dermal, Eye Irrit. 2B, Aquatic Acute 1, Aquatic Chronic 1, Flam. Sol. 2 H313, H320, H400, H410, H228	EHA1 (M=1) ATE (Dermale) : 4094.836mg/kg	[0-1]
CAS# 106-24-1 EINECS# 203-377-1 REACH# 01-2119552430-49-00 00	Geraniol	Acute Tox. 5 (Oral), Eye Dam. 1, Skin Irrit. 2, Skin Sens. 1A H303, H318, H315, H317	ATE (Orale) : 3599.971mg/kg	[0-1]

Material Safety Data Sheet

Printed : 15/04/2025 LAVENDER OIL, BULGARIAN LAVDE0021 Review : 001NEW-11-GHS from 15/04/2025

CAS# 586-62-9 EINECS# 209-578-0	Terpinolene	Asp. Tox. 1, Acute Tox. 5 (Dermal, Acute Tox. 5 (Inhala, Acute Tox. 5 (Oral), Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 3, Skin Sens. 1B H304, H313, H333, H303, H400, H410, H226, H316, H317	EHA1 (M=1)EHC1 (M=1) ATE (Dermale) : 2500mg/kg ATE (Orale) : 3850.152mg/kg ATE (Inhalation) : 21.5mg/L	[0-1]
CAS# 87-44-5 EINECS# 201-746-1 REACH# 01-2120745237-53-00 00	beta-Caryophyllene	Asp. Tox. 1, Acute Tox. 5 (Oral), Skin Sens. 1B H304, H303, H317	ATE (Orale) : 5000mg/kg	[0-1]
CAS# 3338-55-4 EINECS# 222-081-3	cis bêta ocimène	Asp. Tox. 1, Flam. Liq. 4, Skin Irrit. 3 H304, H227, H316		[0-1]
CAS# 5989-27-5 EINECS# 227-813-5	d-Limonene	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 3, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B H304, H400, H412, H226, H315, H317	EHA1 (M=1)	[0-1]

This mixture does not contain any substance on the list drawn up in accordance with Article 59(1) with a concentration greater than or equal to 0.1% exhibiting endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017 /2100 or in Commission Regulation (EU) 2018/605

4. FIRST AID MEASURES

4.1. Description of first aid measures

General Notes :

If in doubt, always call a doctor.

If Inhaled :

If the person is unconscious, place in the fresh air . Consult a doctor

Contact with skin :

Remove soiled clothing . Wash immediately and abundantly with water.

Contact with eyes :

Abundant rinsing with water then washing with an ocular lotion standard Dacryoserum. Consult an ophthalmologist.

If swallowed :

Do not induce vomiting, maintain the patient at rest. Resort to the medical care.

4.2. Most important symptoms and effects, both acute and delayed

NO CONCERNED

4.3. Indication of any immediate medical attention and special treatment needed

NO CONCERNED

5. FIRE FIGHTING

Flammability class : The product is hardly flammable

5.1. Extinguishing media

Appropriate extinction method :

In case of fire, use water spray (or fog) and appropriate fire extinguishers (CO2, powder ...)

Material Safety Data Sheet

Printed : 15/04/2025 LAVENDER OIL, BULGARIAN LAVDE0021 Review : 001NEW-11-GHS from 15/04/2025

Inappropriate extinction method :

In case of fire, never use direct water stream.

5.2. Special hazards arising from the substance or mixture

Flammability : The product is hardly flammable.

In case of fire, may produce toxic fumes of carbon monoxide (CO) or carbon dioxide (CO₂). Exposure to decomposition products may be hazardous to health. Do not breathe fumes.

5.3. Advice for firefighters

NO CONCERNED

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Prevent a manager.

Refer to protective measures listed in sections 7 and 8.

For non-emergency personnel:

Avoid breathing vapors. Avoid all contact with skin and eyes. If necessary, evacuate staff by trained operators equipped with safety equipment

For emergency responders:

Appropriate personal protective equipment will be required (refer to Section 8).

Use appropriate personal protective equipment during clean-up.

6.2. Environmental precautions

Prevent contamination of soil and water, while entering into drains, ditches and rivers. Notify authorities if the product penetrates into the sewers or public waters.

6.3. Methods and material for containment and cleaning up

Diking with sand or diatomaceous earth, pumping and rinsing with water after recovery of specific waste in plastic drums and labeled then deliver to an approved waste facility.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4. Reference to other sections

Refer to sections 8 and 13 for information on exposure control, personal protection and disposal.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Wash hands after use.

Reproduce labeling if transfer to another container.

Material Safety Data Sheet

Printed : 15/04/2025 LAVENDER OIL, BULGARIAN LAVDE0021 Review : 001NEW-11-GHS from 15/04/2025

Ensure adequate ventilation.
Provide safety showers and eye washes.

Fire prevention :

Prevent access by unauthorized persons.
Handle in well ventilated areas.

Equipment and procedures :

For personal protection, see Section 8.
Observe precautions stated on the label and regulations of labor protection.
Close the packaging after use.
Avoid inhalation of vapors and contact with skin or eyes.

7.2. Conditions for safe storage, including any incompatibilities

Keep tightly closed containers away from heat sources and protected from extreme temperatures.
Keep containers closed when not in use.
Always keep in appropriate packages (identical to the original material).

7.3. Specific end use(s)

NO CONCERNED

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Exposition limit (France INRS - ED984 07/2012)

- V.M.E (8 hr)

No component

- V.L.E (15 mn)

No component

8.2. Exposure controls

Individual protection measures, such as personal protective equipment
Personal protective equipment :
- Hand Protection: Protection not required but recommended.
- Eye protection: Protection not required but recommended.
- Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Body protection :

Wear regularly cleaned overalls. In case of contact, all soiled parts should be washed.

Engineering measures :

Avoid contact with eyes, skin or clothing. Do not ingest. Avoid contact with food, drinks.
Do not eat, do not drink and do not smoke during use.
Symbol compulsory wearing of personal protective equipment (PPE):

Material Safety Data Sheet

Printed : 15/04/2025 LAVENDER OIL, BULGARIAN LAVDE0021 Review : 001NEW-11-GHS from 15/04/2025

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Relative density (d ₂₀ /20) :	[0.875 ; 0.895]
Refractive index at 20°C :	[1.455 ; 1.465]
Angular rotation (°) :	[-3 ; -11]
Color :	pale yellow-amber
Appearance :	liquid
Odor :	rustic, ethereal
Flash point (° C) :	71

9.2. Other information

NO CONCERNED

10. STABILITY AND REACTIVITY

10.1. Reactivity

No dangerous reactions during storage and handling according to specifications.

10.2. Chemical stability

Stable product during storage and handling according to specifications.

10.3. Possibility of hazardous reactions

No dangerous reactions during storage and handling according to specifications.

10.4. Conditions to avoid

Avoid excessive heat (naked flames, sparks, ...).

10.5. Incompatible materials

NO CONCERNED

10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided :

Avoid contact with any flame or spark, flame, Overheat. Avoid Direct rays of the sun.

Material Safety Data Sheet

Printed : 15/04/2025 LAVENDER OIL, BULGARIAN LAVDE0021 Review : 001NEW-11-GHS from 15/04/2025

No decomposition if used according to specifications.

Dangerous decomposition products :

No dangerous decomposition products known.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological

Toxicological Information :

No data available.

Toxicological Informations Acute :

- Oral (mg/kg) : Not determined
- Inhalation (mg/kg) : Not determined
- Skin (mg/kg) : Not determined

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

12.2. Persistence and degradability

NO CONCERNED

12.3. Bioaccumulative potential

NO CONCERNED

12.4. Mobility in soil

NO CONCERNED

12.5. Results of PBT and vPvB assessment

NO CONCERNED

12.6. Endocrine disrupting properties

This mixture does not contain any substance on the list drawn up in accordance with Article 59(1) with a concentration greater than or equal to 0.1% exhibiting endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017 /2100 or in Commission Regulation (EU) 2018/605

13. DISPOSAL RECOMMENDATIONS

13.1. Waste treatment methods

Waste : Do not flush with household garbage. Do not pour into drains or waterways. Dispose of according to current legislation, by a collector or a specialized company.

Contaminated packaging : Keep the label on the container. Give to a certified disposal.

Material Safety Data Sheet

Printed : 15/04/2025 LAVENDER OIL, BULGARIAN LAVDE0021 Review : 001NEW-11-GHS from 15/04/2025

14. TRANSPORT INFORMATION

IATA:



14.1. UN number

ADR : Not Regulated
IMDG:Not Regulated
IATA :3334

Custom tariff : **33012941**

14.2. UN proper shipping name

ADR : Not Regulated
IMDG:Not Regulated
IATA :AVIATION REGULATED LIQUID, N.O.S.(Linalyl acetate)

14.3. Transport hazard class(es)

ADR : Not Regulated
IMDG:Not Regulated
IATA :9

14.4. Packing group

ADR : Not Regulated
IMDG:Not Regulated
IATA :III

14.5. Environmental hazards

IMDG : Not Regulated

14.6. Special precautions for user

NO CONCERNED

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NO CONCERNED

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Class of water contamination (Germany) : WGK 2

Material Safety Data Sheet

Printed : 15/04/2025

LAVENDER OIL, BULGARIAN LAVDE0021

Review : 001NEW-11-GHS from 15/04/2025

15.2. Chemical safety assessment

Contient Linalyl acetate, Linalool, Acétate Linalyle Naturel, Bornan-2-one (Camphre), Eucalyptol, 3,7-Dimethyl-1,3,6-octatriene (trans ocimène), Alpha-Terpineol, Terpinene-1ol-4, Borneol, beta-Caryophyllene, d-Limonene, Terpinolene : Peut provoquer des allergies.

16. OTHER INFORMATION

Full H sentences text in point 3

H226 Flammable liquid and vapour.

H227 Combustible liquid

H228 Flammable solid.

H302 Harmful if swallowed.

H302+H332 Harmful if swallowed or if inhaled

H303 May be harmful if swallowed

H303+H313 May be harmful if swallowed or in contact with skin

H303+H313+H333 May be harmful if swallowed, in contact with skin or if inhaled

H303+H333 May be harmful if swallowed or if inhaled

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H316 Causes mild skin irritation

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H320 Causes eye irritation

H371 May cause damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400 Very toxic to aquatic life.

H401 Toxic to aquatic life

H402 Harmful to aquatic life

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Material security data sheet according to (CE) 1272/2008

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

Modified points : 1.3 2.1 2.2 2.3 3 3.2 5 5.2 8.1 8.2 12.6 14 14.1 14.2 14.3 14.4 14.5 15.2 16