

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ETH-3-HYDROXY BUTY

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2026
10.0	04/09/2026	R00000220881	Date of first issue: 07/17/2007

SECTION 1. IDENTIFICATION

Product name : ETH-3-HYDROXY BUTY

CAS-No. : 5405-41-4

Sales Number : 00059105

Sales Number : 00059105

SDS Number : R00000220881

Recommended use of the chemical and restrictions on use

Product Use Description : Fragrance Ingredient

Manufacturer or supplier's details

Company name of supplier : IFF Inc.

Address : 600 Highway 36
Hazlet NJ 07730

Telephone : (732) 264-4500

Telefax : (732) 335-2551

E-mail address : sds@iff.com

Emergency telephone number : +1 800 424 9300

This telephone number is available 24 hours per day, 7 days per week.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Flammable liquids : **Category 4**

Other hazards

None known.

GHS label elements

Signal word : **Warning**

Hazard statements : **H227 Combustible liquid.**

Precautionary statements : **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ETH-3-HYDROXY BUTY

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2026
10.0	04/09/2026	R00000220881	Date of first issue: 07/17/2007

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 Store in a well-ventilated place.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Substance
Chemical nature	: Ingredient used in Flavour and/or Fragrance preparations
Substance name	: ETH-3-HYDROXY BUTY
CAS-No.	: 5405-41-4

Components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice	: Take Hazard and Precautionary phrases (section 2) into account.
If inhaled	: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
In case of skin contact	: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
In case of eye contact	: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
If swallowed	: Rinse mouth with water and obtain medical advice.
Most important symptoms and effects, both acute and delayed	: None known.

Indication of any immediate medical attention and special treatment needed

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ETH-3-HYDROXY BUTY

Version 10.0	Revision Date: 04/09/2026	SDS Number: R00000220881	Date of last issue: 01/30/2026 Date of first issue: 07/17/2007
-----------------	------------------------------	-----------------------------	---

- Unsuitable extinguishing media : Do not use a direct waterjet on burning material.
- Specific hazards during fire-fighting : Water may be ineffective.
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers exposed to fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
- Environmental precautions : Keep away from drains, surface- and groundwater and soil.
- Methods and materials for containment and cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.
- Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.
- If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.
Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ETH-3-HYDROXY BUTY

Version 10.0	Revision Date: 04/09/2026	SDS Number: R00000220881	Date of last issue: 01/30/2026 Date of first issue: 07/17/2007
-----------------	------------------------------	-----------------------------	---

chemicals into the air.

Conditions for safe storage : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material

Personal protective equipment

Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

- a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
- c) if normal operational workplace vapor concentration in the air is increased due to heat ;
- d) during emergencies; or
- e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hand protection

Remarks : Avoid skin contact. Use chemically resistant gloves.

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ETH-3-HYDROXY BUTY

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2026
10.0	04/09/2026	R00000220881	Date of first issue: 07/17/2007

- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Protective measures : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].
In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace". Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.
The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.
- Hygiene measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.
To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : colorless
- Odour : conforms to standard
- Melting point : not determined
- Boiling point : not determined
- Flash point : 172.40 °F / 78.00 °C
- Method: closed cup

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ETH-3-HYDROXY BUTY

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2026
10.0	04/09/2026	R00000220881	Date of first issue: 07/17/2007

Evaporation rate	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapour pressure	:	2.27 hPa (68 °F / 20 °C) Calculated
Relative vapour density	:	not determined
Relative density	:	1.0080 - 1.0150
Density	:	not determined
Water solubility	:	not determined
Solubility in other solvents	:	not determined
Partition coefficient: n-octanol/water	:	log Pow: 0.394
Auto-ignition temperature	:	not determined
Decomposition temperature	:	not determined
pH	:	not determined
Viscosity, dynamic	:	not determined
Viscosity, kinematic	:	not determined
Oxidizing properties	:	not determined
Molecular weight	:	not determined
Assessment	:	not determined
Particle size	:	not determined
Particle Size Distribution	:	not determined
Specific surface area	:	not determined
Surface charge/Zeta potential	:	not determined
Shape	:	not determined
Crystallinity	:	not determined
Surface treatment /Coatings	:	not determined

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ETH-3-HYDROXY BUTY

Version 10.0	Revision Date: 04/09/2026	SDS Number: R00000220881	Date of last issue: 01/30/2026 Date of first issue: 07/17/2007
-----------------	------------------------------	-----------------------------	---

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No hazards to be specially mentioned.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Presents no significant reactivity hazard, by itself or in contact with water.
Conditions to avoid	: Direct sources of heat.
Incompatible materials	: Avoid contact with strong acids, alkali or oxidizing agents.
Hazardous decomposition products	: Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ETH-3-HYDROXY BUTY

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2026
10.0	04/09/2026	R00000220881	Date of first issue: 07/17/2007

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecological information

Additional ecological information : Avoid contamination of soil, ground and surface water.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment.

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number	: NA 1993
Proper shipping name	: COMBUSTIBLE LIQUID, N.O.S. (ETHYL ALCOHOL)
Class	: CBL
Packing group	: III
Labels	: NONE
ERG Code	: 128
Marine pollutant	: no
Remarks	: Above applies only to containers over 119 gallons or 450 li-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ETH-3-HYDROXY BUTY

Version 10.0	Revision Date: 04/09/2026	SDS Number: R00000220881	Date of last issue: 01/30/2026 Date of first issue: 07/17/2007
-----------------	------------------------------	-----------------------------	---

ters. Not regulated if shipped in packages less than or equal to 119 gallons (450 liters).

Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

The components of this product are reported in the following inventories:

US TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Har-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ETH-3-HYDROXY BUTY

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2026
10.0	04/09/2026	R00000220881	Date of first issue: 07/17/2007

monised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/09/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN