

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFFAC 0912

Version	Revision Date:	SDS Number:	Date of last issue: 06/30/2025
7.0	11/29/2025	300000321137	Date of first issue: 02/27/2013

SECTION 1. IDENTIFICATION

Product name : PERU BALSAM OLIFFAC 0912

Sales Number : 30208785

Sales Number : 30208785

SDS Number : 300000321137

Recommended use of the chemical and restrictions on use

Product Use Description : Fragrance Compound

Manufacturer or supplier's details

Company name of supplier : IFF Inc.

Address : 600 Highway 36
Hazlet NJ 07730

Telephone : (732) 264-4500

Telefax : (732) 335-2551

E-mail address : sds@iff.com

Emergency telephone number : +1 800 424 9300

This telephone number is available 24 hours per day, 7 days per week.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Serious eye damage	: Category 1
Skin sensitisation	: Category 1
Specific target organ toxicity - repeated exposure (Inhalation)	: Category 1 (Lungs)
Specific target organ toxicity - repeated exposure	: Category 2

Other hazards

None known.

GHS label elements

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFAC 0912

Version 7.0 Revision Date: 11/29/2025 SDS Number: 300000321137 Date of last issue: 06/30/2025
Date of first issue: 02/27/2013

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H372 Causes damage to organs through prolonged or repeated exposure if inhaled. H373 May cause damage to organs through prolonged or repeated exposure.
Precautionary statements	:	Prevention: P260 Do not breathe mist or vapours. P280 Wear protective gloves/ eye protection/ face protection. Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P314 Get medical advice/ attention if you feel unwell. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Chemical nature : Fragrance for consumer product

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
BENZYL BENZOATE	120-51-4*	>= 30 - <= 60	TSC
BENZYL CINNAMATE	103-41-3*	>= 10 - <= 30	TSC
HERCOLYN D	8050-15-5*	>= 3 - <= 7	TSC
2-Propenoic acid, 3-phenyl-	621-82-9*	>= 3 - <= 7	TSC
BENZOIC ACID	65-85-0*	>= 1 - <= 5	TSC
1,2-PROPANEDIOL	57-55-6*	>= 1 - <= 5	TSC

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFFAC 0912

Version 7.0 Revision Date: 11/29/2025 SDS Number: 300000321137 Date of last issue: 06/30/2025
Date of first issue: 02/27/2013

NEROLIDOL	7212-44-4*	>= 1 - <= 5	TSC
ETHYL ALCOHOL	64-17-5*	>= 0.5 - <= 1.5	TSC
OPOPONAX OIL	9000-78-6*	>= 0.1 - <= 1	TSC
ALLYL CINNAMATE	1866-31-5*	>= 0.1 - <= 1	TSC
BUTYLATED HYDROXYTOLUENE	128-37-0*	>= 0.1 - <= 1	TSC
5-Azulenemethanol, 1,2,3,3a,4,5,6,7-octahydro- α,α ,3,8-tetramethyl-, (3S,3aS,5R)-	22451-73-6*	>= 0.1 - <= 1	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Take Hazard and Precautionary phrases (section 2) into account.
- If inhaled : Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
- In case of skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- In case of eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- If swallowed : Rinse mouth with water and obtain medical advice.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Causes serious eye damage.
Causes damage to organs through prolonged or repeated exposure if inhaled.
May cause damage to organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Notes to physician

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Carbondioxide, dry chemical, foam.
- Unsuitable extinguishing media : Do not use a direct waterjet on burning material.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFFAC 0912

Version	Revision Date:	SDS Number:	Date of last issue: 06/30/2025
7.0	11/29/2025	300000321137	Date of first issue: 02/27/2013

Specific hazards during fire-fighting : Water may be ineffective.

Further information : Standard procedure for chemical fires.

Special protective equipment for firefighters : Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers exposed to fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

Methods and materials for containment and cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.
Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFAC 0912

Version 7.0 Revision Date: 11/29/2025 SDS Number: 300000321137 Date of last issue: 06/30/2025
Date of first issue: 02/27/2013

Conditions for safe storage : Store in a cool, dry, ventilated area away from heat sources.
Keep containers upright and tightly closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
benzoic acid	65-85-0	TWA (Inhalable fraction and vapor)	0.5 mg/m ³	ACGIH
propane-1,2-diol	57-55-6	TWA	10 mg/m ³	US WEEL
ethanol	64-17-5	STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m ³	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m ³	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m ³	OSHA P0
2,6-di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m ³	ACGIH
		TWA	10 mg/m ³	NIOSH REL
		TWA	10 mg/m ³	OSHA P0

Engineering measures : Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material

Personal protective equipment

Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.
No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFFAC 0912

Version	Revision Date:	SDS Number:	Date of last issue: 06/30/2025
7.0	11/29/2025	300000321137	Date of first issue: 02/27/2013

b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
c)if normal operational workplace vapor concentration in the air is increased due to heat ;
d)during emergencies; or
e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hand protection

Remarks : Avoid skin contact. Use chemically resistant gloves.

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Protective measures : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].
In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace". Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.
The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

Hygiene measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.
To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFAC 0912

Version	Revision Date:	SDS Number:	Date of last issue: 06/30/2025
7.0	11/29/2025	300000321137	Date of first issue: 02/27/2013

Appearance	:	liquid
Colour	:	amber to brown
Odour	:	conforms to standard
Melting point	:	not determined
Boiling point	:	not determined
Flash point	:	> 212.00 °F / > 100.00 °C Method: closed cup
Evaporation rate	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapour pressure	:	2.48 hPa (68 °F / 20 °C) Calculated
Relative vapour density	:	not determined
Relative density	:	1.0820 - 1.0920
Density	:	not determined
Water solubility	:	not determined
Solubility in other solvents	:	not determined
Partition coefficient: n-octanol/water	:	not determined
Auto-ignition temperature	:	not determined
Decomposition temperature	:	not determined
pH	:	not determined
Viscosity, dynamic	:	not determined
Viscosity, kinematic	:	not determined
Oxidizing properties	:	not determined

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFAC 0912

Version	Revision Date:	SDS Number:	Date of last issue: 06/30/2025
7.0	11/29/2025	300000321137	Date of first issue: 02/27/2013

Molecular weight	:	not determined
Assessment	:	not determined
Particle size	:	not determined
Particle Size Distribution	:	not determined
Specific surface area	:	not determined
Surface charge/Zeta potential	:	not determined
Shape	:	not determined
Crystallinity	:	not determined
Surface treatment /Coatings	:	not determined

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Presents no significant reactivity hazard, by itself or in contact with water.
Conditions to avoid	:	Direct sources of heat.
Incompatible materials	:	Avoid contact with strong acids, alkali or oxidizing agents.
Hazardous decomposition products	:	Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 3,261 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

Components:

benzyl cinnamate:

Acute oral toxicity	:	LD50 (Rat): 3,280 mg/kg Remarks: IFRA
---------------------	---	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFFAC 0912

Version	Revision Date:	SDS Number:	Date of last issue: 06/30/2025
7.0	11/29/2025	300000321137	Date of first issue: 02/27/2013

|| cinnamic acid:

Acute oral toxicity	: LD50 (Rat): 3,570 mg/kg Remarks: Other
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg

|| benzoic acid:

Acute oral toxicity	: LD50 (Rat, male and female): 2,565 mg/kg Method: OECD Test Guideline 401 Remarks: REACH data
Acute inhalation toxicity	: LC50 (Rat, male and female): 12.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: REACH data
Acute dermal toxicity	: LD50 (Rabbit, male and female): > 2,000 mg/kg Test substance: (undiluted) Remarks: REACH data

|| 3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: (Rat, male and female): Exposure time: 7 h Test atmosphere: vapour Symptoms: No adverse effects Remarks: Based on data from similar materials REACH data
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg Remarks: REACH data

Skin corrosion/irritation

Not classified based on available information.

Components:

|| benzyl cinnamate:

Species	: human
Result	: No skin irritation

|| cinnamic acid:

Result	: irritating
--------	--------------

|| benzoic acid:

Species	: Guinea pig
Exposure time	: 3 h
Assessment	: Causes skin irritation.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFFAC 0912

Version	Revision Date:	SDS Number:	Date of last issue: 06/30/2025
7.0	11/29/2025	300000321137	Date of first issue: 02/27/2013

Result : Irritating to skin.
Remarks : REACH data

|| 3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers:

Species : Rabbit
Exposure time : 4 h
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : no
Test substance : (undiluted)
Remarks : Based on data from similar materials
REACH data

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

|| benzyl cinnamate:

Species : Rabbit
Result : No eye irritation

|| cinnamic acid:

Result : Eye irritation

|| benzoic acid:

Species : Rabbit
Result : Corrosive
Assessment : Causes serious eye damage.
Method : Regulation (EC) No. 440/2008, Annex, B.5
GLP : yes
Test substance : (undiluted)
Remarks : REACH data

|| 3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers:

Species : Rabbit
Result : Eye irritation
Assessment : Causes serious eye irritation.
Method : OECD Test Guideline 405
GLP : no
Test substance : (undiluted)
Remarks : Based on data from similar materials
REACH data

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFFAC 0912

Version	Revision Date:	SDS Number:	Date of last issue: 06/30/2025
7.0	11/29/2025	300000321137	Date of first issue: 02/27/2013

Respiratory sensitisation

Not classified based on available information.

Components:

benzyl cinnamate:

Species	:	human
Result	:	Did not cause sensitisation on laboratory animals.
Test substance	:	8.0%

cinnamic acid:

Result	:	Did not cause sensitisation on laboratory animals.
--------	---	--

benzoic acid:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Assessment	:	Does not cause skin sensitisation.
Result	:	Does not cause skin sensitisation.
Remarks	:	REACH data

3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Assessment	:	The product is a skin sensitiser, sub-category 1B.
Method	:	OECD Test Guideline 429
Result	:	Causes sensitisation.
GLP	:	yes
Remarks	:	Based on data from similar materials REACH data

Germ cell mutagenicity

Not classified based on available information.

Components:

benzyl cinnamate:

Genotoxicity in vitro	:	Test Type: Ames test Result: negative
-----------------------	---	--

benzoic acid:

Genotoxicity in vitro	:	Test Type: in vitro mammalian cell micronucleus Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 487 Result: negative Remarks: REACH data
Genotoxicity in vivo	:	Test Type: Chromosomal aberration Species: Rat (male) Application Route: Oral

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFFAC 0912

Version	Revision Date:	SDS Number:	Date of last issue: 06/30/2025
7.0	11/29/2025	300000321137	Date of first issue: 02/27/2013

Method: OECD Test Guideline 475
Result: negative
GLP: no
Remarks: REACH data

|| 3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers:

Genotoxicity in vitro : Test Type: sister chromatid exchange assay
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 479
Result: negative
Remarks: Based on data from similar materials
REACH data

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Result: negative
Remarks: Based on data from similar materials
REACH data

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: Based on data from similar materials
REACH data

Test Type: Microbial mutagenesis assay (Ames test)
Test system: Escherichia coli
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: REACH data

Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: REACH data

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male)
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: yes
Remarks: REACH data

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFFAC 0912

Version	Revision Date:	SDS Number:	Date of last issue: 06/30/2025
7.0	11/29/2025	300000321137	Date of first issue: 02/27/2013

Carcinogenicity

Not classified based on available information.

Components:

benzoic acid:

Species	:	Rat, male and female
Application Route	:	Ingestion
Activity duration	:	2 yr
NOAEL	:	> 1,000 mg/kg bw/day
Result	:	negative
Remarks	:	REACH data

IARC	Group 1: Carcinogenic to humans ethanol	64-17-5
-------------	--	---------

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

benzoic acid:

Effects on fertility	:	Test Type: Two-generation study Species: Rat, male and female Application Route: Ingestion General Toxicity - Parent: NOAEL: 900 mg/kg body weight Fertility: NOAEL: 900 mg/kg body weight Method: OECD Test Guideline 416 GLP: no Remarks: REACH data
----------------------	---	---

	:	Test Type: Two-generation study Species: Rat, female Application Route: Ingestion General Toxicity - Parent: NOAEL: 1,176 mg/kg body weight Fertility: NOAEL: 1,176 mg/kg body weight Method: OECD Test Guideline 416 GLP: no Remarks: REACH data
--	---	--

Effects on foetal development	:	Test Type: Prenatal development toxicity study (teratogenicity) Species: Rat, female Application Route: Ingestion General Toxicity Maternal: NOEL: 1,306 mg/kg body weight Developmental Toxicity: NOEL: 1,306 mg/kg body weight Method: OECD Test Guideline 414 Remarks: REACH data
-------------------------------	---	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFFAC 0912

Version	Revision Date:	SDS Number:	Date of last issue: 06/30/2025
7.0	11/29/2025	300000321137	Date of first issue: 02/27/2013

|| 3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat, male
Application Route: Ingestion
Duration of Single Treatment: 37 d
General Toxicity - Parent: NOAEL: 270 mg/kg body weight
Fertility: NOAEL: 755 mg/kg body weight
Method: OECD Test Guideline 422
GLP: yes
Remarks: REACH data

Test Type: reproductive and developmental toxicity study
Species: Rat, male
Application Route: Ingestion
Duration of Single Treatment: 58 d
General Toxicity - Parent: NOAEL: 105 mg/kg body weight
Fertility: NOAEL: 705 mg/kg body weight
Method: OECD Test Guideline 422
GLP: yes
Remarks: REACH data

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat, female
Application Route: Ingestion
Duration of Single Treatment: 58 d
General Toxicity Maternal: NOAEL: 105 mg/kg body weight
Developmental Toxicity: NOAEL: 340 mg/kg body weight
Method: OECD Test Guideline 422
GLP: yes
Remarks: REACH data

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure if inhaled.

May cause damage to organs through prolonged or repeated exposure.

Components:

|| benzoic acid:

Exposure routes : Inhalation
Target Organs : Lungs
Assessment : Causes damage to organs through prolonged or repeated exposure.
Remarks : REACH data

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFAC 0912

Version	Revision Date:	SDS Number:	Date of last issue: 06/30/2025
7.0	11/29/2025	300000321137	Date of first issue: 02/27/2013

Repeated dose toxicity

Components:

benzoic acid:

Species	: Rat, male and female
NOAEL	: 1,000 mg/kg
Application Route	: Ingestion
Exposure time	: 2 yr
Remarks	: Based on data from similar materials REACH data

Species	: Rat, male and female
NOAEL	: 0.25 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 d
Method	: OECD Test Guideline 412
GLP	: yes
Remarks	: REACH data

Species	: Rabbit, male and female
NOAEL	: > 2,500 mg/kg
Application Route	: Dermal
Exposure time	: 28 d
Method	: EPA OPP 82-2
GLP	: yes
Remarks	: REACH data

3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers:

Species	: Rat, female
NOAEL	: 105 mg/kg
Application Route	: Ingestion
Exposure time	: 58 d
Method	: OECD Test Guideline 422
GLP	: yes
Remarks	: Based on data from similar materials REACH data

Species	: Rat, male
NOAEL	: 270 mg/kg
Application Route	: Ingestion
Exposure time	: 37 d
Method	: OECD Test Guideline 422
GLP	: yes
Remarks	: Based on data from similar materials REACH data

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFFAC 0912

Version	Revision Date:	SDS Number:	Date of last issue: 06/30/2025
7.0	11/29/2025	300000321137	Date of first issue: 02/27/2013

SECTION 12. ECOLOGICAL INFORMATION

Ecological information

Additional ecological information : Avoid contamination of soil, ground and surface water.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment.

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., Environmentally hazardous substance, liquid, n.o.s. (BENZYL BENZOATE, NEROLIDOL)

Class : 9

Packing group : III

Labels : 9

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE, NEROLIDOL)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFFAC 0912

Version	Revision Date:	SDS Number:	Date of last issue: 06/30/2025
7.0	11/29/2025	300000321137	Date of first issue: 02/27/2013

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitisation
Specific target organ toxicity (single or repeated exposure)
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

The components of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	: USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	: 8-hour, time-weighted average

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PERU BALSAM OLIFFAC 0912

Version	Revision Date:	SDS Number:	Date of last issue: 06/30/2025
7.0	11/29/2025	300000321137	Date of first issue: 02/27/2013

ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 11/29/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN